

Fig. 1




Fig. 2

Model	Date for Image Conversion
Company A	- - - - - .
----	- - - - - .
----	- - - - - .
Company B	- - - - - .
----	- - - - - .
----	- - - - - .
Company C	- - - - - .
----	- - - - - .
----	- - - - - .
----	- - - - - .
----	- - - - - .

Fig. 3





Fig. 4



Authentication Site

Input your user ID and password.

User ID

Password


OK Cancel

2a

2d

This diagram shows a rectangular dialog box with rounded corners. At the top, it is titled 'Authentication Site'. Below the title, it contains the instruction 'Input your user ID and password.' followed by two input fields. The first field is labeled 'User ID' and the second is labeled 'Password'. At the bottom of the dialog box, there are two buttons: 'OK' and 'Cancel'. A leader line labeled '2a' points to the right side of the dialog box, and another leader line labeled '2d' points to the 'OK' button.

Fig. 5



Input the camera number.

OK Cancel

2a

2d

This diagram shows a rectangular dialog box with rounded corners. It contains the instruction 'Input the camera number.' followed by a single input field. At the bottom of the dialog box, there are two buttons: 'OK' and 'Cancel'. A leader line labeled '2a' points to the right side of the dialog box, and another leader line labeled '2d' points to the 'OK' button.

Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12





Fig. 13



Installation Member	Active Member	Passive Member
K (1)	KR (1)	KE (1)
K (2)	KR (2)	KE (2)
-----	----- ----- -----	----- ----- -----
-----	----- ----- -----	----- ----- -----
K (i)	KR (i)	KE (i)
-----	----- ----- -----	----- ----- -----